

"The mortgage is due."

"Will I make today's deadline?"

"Why can't I get a promotion?"

"The car needs service."

"I don't deserve that vacation."

"When will I meet the right person?"

For patients suffering the affects of Generalized Anxiety Disorder

Lexapro can help silence the worries

Don't simply treat the symptoms, treat the anxiety...

Headache, irritability, muscle tension, restlessness and insomnia—when these symptoms occur in combination it could be the warning signs of Generalized Anxiety Disorder, also known as GAD.

What is GAD? Think of the way you feel just before a job interview—nervous, edgy, the inability to relax. Now think of yourself feeling this way recurrently—whether you're getting ready for bed, busying about at the office, driving to work or eating dinner. When excessive anxiety occurs for more than half the days during a six month period or longer, you could be suffering from GAD.

How can you find out if GAD is affecting you? Take the Anxiety Self-Screener at www.Lexapro.com. It's confidential and it can be the first step toward seeking treatment and getting relief.

With a low percentage of adverse affects and a high tolerance rate, patients overwhelmingly stick with Lexapro when compared against other medications. Many experience relief within 1 to 2 weeks after beginning treatment and most achieve greatest benefit within 4 to 6 weeks.

Lexapro
escitalopram oxalate 

Make life matter once more.